HKHR 3D Wall Printer

HKHR Tech, located in Beijing, is a research and development enterprise focusing on inkjet printing technology, which is the most professional manufacturer in the world of inkjet wall printer and floor printer. Till 2021, HKHR has more than 14 partners and 200+ customers worldwide.

T and S series UV wall printer is our latest 3D vertical printing system for large-scale graphics, logos, decoration and photorealistic images on **flat surfaces of cars, trucks and buses, various materials of glass, tile, iron , PVC,Putty wall, latex paint wall, brick wall, diatom mud wall, shell powder, paper, wood** and countless other objects with curved or flat surfaces, on a wide range of substrates.

The Gypsum board, WCMYK Mode Printing

3D inkjet printing technology, with vivid high-quality printing effects . The ink can ensure that the image remains on the substrates for more than 8 years without fading, and has extremely high UV resistance and waterproof properties .

The latex wall, 1.8 meter high by 6.2 meters long

Contents:

Company Profile, HKHR WP Key-factors
HKHR WP Technical Specifications
HK-T1 UV Wall Printer
HK-T2 UV Wall Printer
HK-T3 UV Wall Printer
HK-S1 UV Wall Printer
HK-S2 UV Wall Printer
HK-K1 Water Based Wall Printer
HK-K2 Water Based Wall Printer
HK-K4 Water Based Wall Printer
HK-TFP UV Print Floor Printer

Technical Specifications

Model	Features	Case Dimensions & Weight	Printing Size	Resolution & Speed
HK-T1 UV WP	6cm Wide Case UV Print Wheel & standard Rail Driving CMYK+WW 5 Colors	L36cm*W6cm*H100cm 6 Parts, each one under 15 Kg	1.7 Meters in Height with Extension: 2.7 Meters in Height	2880 DPI/ 1.5m²/h 1440 DPI/ 2m²/h 1080 DPI/ 2.5m²/h
HK-T2 UV WP	6cm Wide Case UV Print Wheel & simple Rail Driving CMYK+WW 5 Colors	L36cm*W6cm*H100cm 6 Parts, each one under 15 Kg	1.7 Meters in Height	2880 DPI/ 1.5m²/h 1440 DPI/ 2m²/h 1080 DPI/ 2.5m²/h
HK-T3 UV WP	6cm Wide Case UV Print standard Rail Driving CMYK+WW 5 Colors	L36cm*W6cm*H100cm 6 Parts, each one under 15 KG	1.7 Meters in Height with Extension: 2.7 Meters in Height	2880 DPI/ 1.5m²/h 1440 DPI/ 2m²/h 1080 DPI/ 2.5m²/h
HK-S1 UV WP	Portable UV Print standard Rail Driving CMYK+WW 5 Colors	L39cm*W20cm*H85cm 55KG	1.8 Meters in Height with Extension: 2.9 Meters in Height	2880 DPI/ 1.5m²2/h 1440 DPI/ 2m²/h 1080 DPI/ 2.5m²/h
HK-S2 UV WP	Portable UV Print Wheel & simple Rail Driving CMYK+WW 5 Colors	L39cm*W20cm*H85cm 55KG	1.7 Meters in Height with Extension: 2.7 Meters in Height	2880 DPI/ 1.5m²/h 1440 DPI/ 2m²/h 1080 DPI/ 2.5m²/h
HK-K1 (Water Based)	Single Printhead Water Based Rail Driving CMYK 4 Colors	L39cm*W20cm*H85cm 55KG	1.8 Meters in Height with Extension: 2.9 Meters in Height	2880 DPI/ 1.5m²/h 1440 DPI/ 2m²/h 1080 DPI/ 2.5m²/h 720 DPI/ 3m²/h 360 DPI/ 6m²/h 180 DPI/ 12m²/h
HK-K2 (Water Based)	Two Printheads Water Based Rail Driving CMYK 4 Colors	L39cm*W20cm*H85cm 55KG	1.8 Meters in Height with Extension: 2.9 Meters in Height	2880 DPI/ 3m²/h 1440 DPI/ 4m²/h 1080 DPI/ 5m²/h 720 DPI/ 6m²/h 360 DPI/ 12m²/h 180 DPI/ 24m²/h
HK-K4 (Water Based)	Four Printheads Water Based Rail Driving CMYK 4 Colors	L39cm*W20cm*H85cm 55KG	1.8 Meters in Height with Extension: 2.9 Meters in Height	2880 DPI/ 6m²/h 1440 DPI/ 8m²/h 1080 DPI/ 10m²/h 720 DPI/ 12m²/h 360 DPI/ 24m²/h 180 DPI/ 48m²/h
HK-TFP UV (Floor Printer)	UV Print Wheel Driving CMYK+WW 5 Colors	L39cm*W20cm*H85cm 55KG	2.3 Meters Wide No Limited to the Length	2880 DPI/ 1.5m²/h 1440 DPI/ 2m²/h 1080 DPI/ 2.5m²/h

Options Regarding to The Vertical Extension Rail:

Vertical rails can be made into 2-3 sections. Each section can be customized to fit the specific space.

Options Regarding to the Width of The Floor Printer:

The rails for the floor printer can be customized according to the customer's requirement. The maximum width can be extended to 4 meters.

HK-T1 Wheel & Rail Driving UV Print Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

Without Printing White Color
2880dpi: 1 .5m² /h; 12ml/m²
1440dpi: 2 .0m² /h; 10ml/m²
1080dpi: 2 .5m² /h; 8ml/m²

Printing the white color would slow down the printing speed

2880dpi: 1m² /h; 24ml/m²
1440dpi: 1 .5 .0m² /h; 20ml/m²
1080dpi: 2 .0m² /h; 16ml/m²

Colorfastness, UV Resistance
8 years UV Indoor Resistance
3 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our UV wall printer systems differ by the frame shapes and driving system. HK-T1 uses the latest thinnest portable case, can be fully disassembled and combined the rail driving and wheel driving system in one model.

Dimension The Printing Area
Width:(No limited) * Height: (1 .7 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section-wise, with smooth transitions between the printed sections.

Machine Height and Printable Height
The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 240cm(With wheel) and 250cm (with rails) . The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine (Customizable)
Bottom base:(0 .3m)+First vertical rail(1 .3meters)+Second vertical rail(0 .9meter)=2 .5 meters
With Extension rail(1 meter)=3 .5 meters

Technical Information

Options for the print height: 1 meter extension

Options for the print length: No need to, it is no limited

Color System: 5-color process with CMYK+White . UV resistant, high quality inks with outstanding colorfastness .

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine. 2. China made MainTop RIP software, permanent rights, included in the machine .

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

HK-T2 Wheel Driving UV Print Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

Without Printing White Color

2880dpi: 1 .5m² /h; 12ml/m²
1440dpi: 2 .0m² /h; 10ml/m²
1080dpi: 2 .5m² /h; 8ml/m²

Printing the white color would slow down the printing speed

2880dpi: 1m² /h; 24ml/m²
1440dpi: 1 .5 .0m² /h; 20ml/m²
1080dpi: 2 .0m² /h; 16 ml/m²

Colorfastness, UV Resistance

8 years UV Indoor Resistance
3 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our UV wall printer systems differ by the frame shapes and driving system. HK-T2 uses the latest thinnest portable case, can be fully disassembled, and with the wheel driving system .

Dimension The Printing Area

Width:(No limited) * Height: (1 .7 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section-wise, with smooth transitions between the printed sections .

Machine Height and Printable Height

The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 240cm . The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine

Bottom base:(0 .2m)+First vertical rail(1 .3meters)+Second vertical rail(0 .9meter)=2 .4 meters

Technical Information

Options for the print length: No need to, it is no limited

Color System: 5-color process with CMYK+White . UV resistant, high quality inks with outstanding colorfastness .

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine . 2. China made MainTop RIP software, permanent rights, included in the machine .

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi .

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology

Image Format Supports: JPG, PNG, TIFF, PDF

HK-T3 Rail Driving UV Print Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

Without Printing White Color

2880dpi: 1 .5m² /h; 12ml/m²
1440dpi: 2 .0m² /h;10ml/m²
1080dpi: 2 .5m² /h; 8ml/m²

Printing the white color would slow down the printing speed

2880dpi: 1m² /h;24ml/m²
1440dpi: 1 .5 .0m² /h; 20ml/m²
1080dpi: 2 .0m² /h; 16ml/m²

Colorfastness, UV Resistance

8 years UV Indoor Resistance
3 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our UV wall printer systems differ by the frame shapes and driving system. HK-T3 uses the latest thinnest portable case, can be fully disassembled, and with the rail driving system .

Dimension The Printing Area

Width:(No limited) * Height: (1 .7 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section-wise, with smooth transitions between the printed sections.

Machine Height and Printable Height

The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 240cm . The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine

Bottom base:(0 .2m)+First vertical rail(1 .3meters)+Second vertical rail(0 .9meter)=2 .4 meters

Technical Information

Options for the print height: 1 meter extension

Options for the print length: No need to, it is no limited

Color System: 5-color process with CMYK+White . UV resistant, high quality inks with outstanding colorfastness.

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine . 2. China made MainTop RIP software, permanent rights, included in the machine.

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

HK-S1 Rail Driving UV Print Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

Without Printing White Color
2880dpi: 1 .5m² /h; 12ml/m²
1440dpi: 2 .0m² /h; 10ml/m²
1080dpi: 2 .5m² /h; 8ml/m²

Printing the white color would slow down the printing speed

2880dpi: 1m² /h; 24ml/m²
1440dpi: 1 .5 .0m² /h; 20ml/m²
1080dpi: 2 .0m² /h; 16ml/m²

Colorfastness, UV Resistance
8 years UV Indoor Resistance
3 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our UV wall printer systems differ by the frame shapes and driving system. HK-S1 uses the classic case, with rail driving system(5 rails for free, 1 meter each)

Dimension The Printing Area
Width:(No limited) * Height: (1 .8 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section-wise, with smooth transitions between the printed sections.

Machine Height and Printable Height
The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 265cm . The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine
Bottom base:(0 .25m)+Vertical rail(2 .4m)=2 .65 meters

Technical Information

Options for the print height: 1.1 meter extension

Options for the print length: No need to, it is no limited

Color System: 5-color process with CMYK+White.
UV resistant, high quality inks with outstanding colorfastness.

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine. 2. China made MainTop RIP software, permanent rights, included in the machine.

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

HK-S2 Wheel Driving UV Print Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

Without Printing White Color

2880dpi: 1 .5m² /h; 12ml/m²
1440dpi: 2 .0m² /h; 10ml/m²
1080dpi: 2 .5m² /h; 8ml/m²

Printing the white color would slow down the printing speed

2880dpi: 1m² /h; 24ml/m²
1440dpi: 1 .5 .0m² /h; 20ml/m²
1080dpi: 2 .0m² /h; 16ml/m²

Colorfastness, UV Resistance

8 years UV Indoor Resistance
3 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our UV wall printer systems differ by the frame shapes and driving system. HK-S2 uses the classic cases, and with the wheel driving system.

Dimension The Printing Area

Width:(No limited) * Height: (1 .7 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section- wise, with smooth transitions between the printed sections.

Machine Height and Printable Height

The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 240cm. The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine

Bottom base:(0 .2m)+First vertical rail(1 .3meters)+Second vertical rail(0 .9meter)=2 .4 meters

Technical Information

Options for the print height: 1 meter extension

Options for the print length: No need to, it is no limited

Color System: 5-color process with CMYK+White.
UV resistant, high quality inks with outstanding colorfastness.

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine. 2. China made MainTop RIP software, permanent rights, included in the machine.

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

HK-K1 Rail Driving Single Head Water Based Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

2880 DPI/ 1 .5m² /h;	12ml/m²
1440 DPI/ 2m² /h;	10ml/m²
1080 DPI/ 2 .5m² /h	8ml/m²
720 DPI/ 3m² /h	7ml/m²
360 DPI/ 6m² /h	6ml/m²
180 DPI/ 12m² /h	5ml/m²

Colorfastness, UV Resistance

6 years Indoor not fading
2 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our water based wall printer systems differ by the number of printheads. HK-K1 uses ONE printhead .

Dimension The Printing Area
Width:(No limited) * Height: (1 .8 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section- wise, with smooth transitions between the printed sections.

Machine Height and Printable Height
The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 265cm . The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine
Bottom base:(0 .25m)+Vertical rail(2 .4m)=2 .65 meters

Technical Information

Options for the print height: 1.1 meter extension

Options for the print length: No need to, it is no limited

Color System: 4-color process CMYK , high quality inks with outstanding colorfastness.

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine. 2. China made MainTop RIP software, permanent rights, included in the machine.

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

HK-K2 Rail Driving Two Heads Water Based Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

2880 DPI/ 3m² /h;	12ml/m²
1440 DPI/ 4m² /h	10ml/m²
1080 DPI/ 5m² /h	8ml/m²
720 DPI/ 6m² /h	7ml/m²
360 DPI/ 12m² /h	6ml/m²
180 DPI/ 24m² /h	5ml/m²

Colorfastness, UV Resistance

6 years Indoor not fading
2 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our water based wall printer systems differ by the number of printheads. HK-K2 uses TWO printheads .

Dimension The Printing Area
Width:(No limited) * Height: (1 .8 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section-wise, with smooth transitions between the printed sections.

Machine Height and Printable Height
The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 265cm. The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine
Bottom base:(0 .25m)+Vertical rail(2 .4m)=2 .65 meters

Technical Information

Options for the print height: 1.1 meter extension

Options for the print length: No need to, it is no limited

Color System: 4-color process CMYK , high quality inks with outstanding colorfastness.

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine. 2. China made MainTop RIP software, permanent rights, included in the machine.

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

HK-K4 Rail Driving Four Heads Water Based Wall Printer

Printing Speeds with Different Resolutions and Ink Consumption

2880 DPI/ 3m² /h;	12ml/m²
1440 DPI/ 4m² /h	10ml/m²
1080 DPI/ 5m² /h	8ml/m²
720 DPI/ 6m² /h	7ml/m²
360 DPI/ 12m² /h	6ml/m²
180 DPI/ 24m² /h	5ml/m²

Colorfastness, UV Resistance

8 years UV Indoor Resistance
3 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our water based wall printer systems differ by the number of printheads. HK-K4 uses FOUR printheads .

Dimension The Printing Area
Width:(No limited) * Height: (1 .8 meter)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section-wise, with smooth transitions between the printed sections.

Machine Height and Printable Height
The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 265cm . The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine
Bottom base:(0 .25m)+Vertical rail(2 .4m)=2 .65 meters

Technical Information

Options for the print height: 1 meter extension

Options for the print length: No need to, it is no limited

Color System: 4-color process CMYK , high quality inks with outstanding colorfastness.

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine. 2. China made MainTop RIP software, permanent rights, included in the machine .

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

HK-TFP Wheel Driving UV Print Floor Printer

Floor Printer

Printing Speeds with Different Resolutions and Ink Consumption

Without Printing White Color

2880dpi: 1 .5m² /h; 12ml/m²
1440dpi: 2 .0m² /h; 10ml/m²
720dpi: 2 .5m² /h; 8ml/m²

Printing the white color would slow down the printing speed

2880dpi: 1m² /h; 24ml/m²
1440dpi: 1 .5 .0m² /h; 20ml/m²
720dpi: 2 .0m² /h; 16ml/m²

Colorfastness, UV Resistance

8 years UV Indoor Resistance
3 years UV Outdoor Resistance

LEARN MORE:
www.wallprinterworld.com

Our floor printer systems differ by the printing format. The printing format(Printing width) can be customized .

Dimension The Printing Area
Width:(2 .3 meters) * Length: (No limited)

The maximum print size of an image is based on the physical width and height of the machine . But our wall printer can print images which are larger than the size of the machine itself (vertically and horizontally), by using Photoshop to create large printouts section-wise, with smooth transitions between the printed sections .

Machine Height and Printable Height
The machine height differs from the printable height . For stability reasons the machine is built on a base with a height of 240cm . The height of the lowest printable line is located at 30cm from the floor.

Physical height of the machine
Example: machine with printable height of 0 .8m .
0 .45m top frame + 0.57 bottom base + print height 0 .8m, Resulting machine height = 1.82 Meter.

Technical Information

Options for the print height: 1 meter extension

Options for the print length: No need to, it is no limited

Color System: 5-color process with CMYK+White . UV resistant, high quality inks with outstanding colorfastness .

Software for Printing: 1. Original, Windows-based HKHR Operation software, included in the machine . 2. China made MainTop RIP software, permanent rights, included in the machine.

Electric Power: 110-240V (200W)

Spec of Touch Screen Computer: 10.4 inch, capacitive screen, resolution 800 * 600, J1800 Celeron dual-core, 4G memory, 128G solid, state hard disk, Win10-64 system, built-in WiFi.

Print Technology: VSDT variable ink drop technology, high fault tolerance feathering technology, automatic recovery printing technology.

Image Format Supports: JPG, PNG, TIFF, PDF

Blinds



Fridge



CARTER'S
BARBERSHOP
Est. 1939
Writings on the Wall
Vertical Wall Printing
Info@910wow.com
910-395-5193
www.910Wow.com
TWP
THE WALL PRINTER

BUDLIGHT
P.T.'S OLDE FASHIONED GRILLE

LAWN CARE NINJAS
LawnCareNinjaNC.com
(910) 88 NINJA
886 4652

LIFETIME FLOORING
CREATIONS, LLC
WWW.DIALDN.ART
DIALDN
info@dialdn.art
TWP

LIFETIME FLOORING
NOT AN ENTRANCE

Дробление
солод
дрожжи
охлаждение
ферментация
брожение
розлив
реализация
PRISMA




ENGLAND ,LONDON



Beijing Huake Hengrun Intelligent Technology Co., Ltd

Contact Information

Tina Huang- Sales Manager

008613269371638

tina@worldrobotprinter.com

www.wallprinterworld.com

101A, Building 11, No. 3 Courtyard, Gaolizhang Road, Haidian District, Beijing, China

SNS

https://www.youtube.com/@wallprinterworld.

https://www.facebook.com/robotjet13269371638/

https://www.instagram.com/robotjet13269371638/

https://twitter.com/TinaHua87321403

https://www.tiktok.com/@wallprinter.com

Distributor Website

- www.thewallprinter.com
  USA Exclusive Agent: TWP - USA, Canada, Mexico, Central & South America
- www.copygrafwallprint.it
  Italy Exclusive Agent
  .....MORE THAN 15 AGENTS